


BVM 750 TON 14" ELEVATOR


BVM 750 Ton Elevators are produced from cast alloy heat treated steel, and are designed for lifting tubular goods - lightweight tubing to heavy wall pipe and drill collars, ranging in size from 6 5/8" to 14".



7/29/2013

BVM CORPORATION
 307 MAGNOLIA BUSINESS PARK DR.
 MAGNOLIA, TX 77354; PHONE: 346-296-5501
www.bvmcorp.com; sales@bvmcorp.com

BVM 750 TON 14" SPIDER



BVM CORPORATION
430 S. NAVAJO STREET, DENVER CO 80223
PHONE: 303-975-1402; FAX: 303-975-0981
www.bvmcorp.com; sales@bvmcorp.com

7/29/2013

BVM 750 TON 14" SPIDER/ELEVATOR

ITEM NO.	PART NUMBER	DESCRIPTION	ELEVATOR QTY.	SPIDER QTY.
1	63001	Body	2	2
2	63040	Register Button	2	2
3	26120-00-0	Hi Collar LW 0.75	8	8
4	1212C-16-8	Hex Socket Head Cap Screw 0.75-10x2x2-N	2	2
5	63101R	Hinge Pin Removable Assembly	1	1
6	63101S	Hinge Pin Stationary Assembly	1	1
7	63020WM	Cover Assembly	2	2
8	1412C-22-8	Hex Bolt 0.7500-10x2.75x1.75-N	6	6
9	63009	Link Block	2	2
10	79805	Upper Link Block Screw	2	2
11	79261	Lower Link Block Screw	2	2
12	6816C-00-0	Hex Slotted Nut 1.0000-8-D-N	2	2
13	30040-14-0	Cotter pin D .25 x 1 .75	2	2
14	1605C-08-5	Socket Button Head Cap Screw 0.3125-18x0.5-HX-N	8	8
15	*	Slip	4	4
16	*	Slip Load Ring	4	4
17	*	Inserts	*	*
18	1208C-08-5	Socket Head Hex Screw 0.5-13x1x1-N	20	20
19	26080-00-0	High Collar Lockwasher 0.5	20	20
20	10321	Slip Lifting Bracket	4	4
21	1010C-12-5	Socket Countersunk Head Cap Screw 0.625-11x1.5x1.5-HX-N	16	16
22	63030	Leveling Beam	2	2
23	B11877	Link	4	4
24	30030-12-0	Cotter pin D .188 x 1 .5	8	8
25	B11878	Upper Link Pin	4	4
26	10158	D Shaped Ring	4	4
27	7887	Lynch Pin 0.438 x 1.563	4	4
28	B11989	Lower Link Pin	4	4
29	63025	Air Cylinder Assembly	4	4
30	22200-00-0	Preferred Narrow Flat Washer 1.25	4	4
31	20200-00-0	Regular LW 1.25	4	4
32	6020C-00-0	Hex Nut 1.2500-7C-D-N	4	4
33	B11840	Manual Lift Bracket	1	1
34	B11870	Pivot Pin	1	1
35	B11842	Manual Lift Socket	1	1
36	20080-00-0	Regular LW 0.5	6	6
37	1408C-12-5	Hex Bolt 0.5000-13x1.5x1.25	4	4
38	42007	Lubricator Mounting Bracket	1	1
39	B11849	Cylinder Retainer	8	8
40	1205C-12-5	Hex Sock Head Cap Screw 0.5-13x1.5x1.5-N	8	8
41	B16822	Latch Assembly	1	1
42	42006	Air Valve Spacer	1	1
43	6008C-00-0	Hex Nut 0.5000-13-D-N	2	2
44	1908C-31-5	STUD .5-13 X 3 7-8	2	2
45	940308-1	1/8" NPT Grease Fitting	32	32
46	1416C-22-8	Hex Bolt 1.0000-8x2.75x2.25-N	4	-
47	20160-00-0	Regular Lock Washer 1	4	-
48	63010	Bell Guide	2	-
49	1608C-08-5	Socket Button Head Cap Screw 0.5-13x1-HX-N	4	-
50	24080-00-0	Fender Flatwasher 0.5	4	-
51	11787	Bottom Guide	2	-
52	1408C-10-8	Hex Bolt 0.5000-13x1.25x1.25	-	6
53	20120-00-0	Regular Lock Washer 0.75	-	6
54	18419	Top Guide	-	2
55	63015	Spider Adapter Plate Assembly	-	1

* - SEE CHART FOR SPECIFIC SIZES AND QUANTITIES

7/29/2013

BVM 750 TON 14" SPIDER/ELEVATOR

ITEM NO.	PART NO.	DESCRIPTION	PIPE SIZE	INSERT PART NO.	QTY.
15	63005	7 5/8" SLIP			4
16	63005-A	SLIP LOAD RING			4
17		INSERT	6 5/8"	2632	60 + 24B
			7"	2623	60 + 24B
			7 5/8"	2633	84
			7 3/4"	2649	84
15	63004	9 5/8" SLIP			4
16	63004-A	SLIP LOAD RING			4
17		INSERT	8 5/8"	2640	80 + 32B
			8 3/4"	2650	80 + 32B
			9 5/8"	2633	112
			9 3/4"	2649	112
			9 7/8"	2649	112
15	63003	11 3/4" SLIP			4
16	63003-A	SLIP LOAD RING			4
17		INSERT	10 3/4"	2640	100 + 40B
			10 7/8"	2650	100 + 40B
			11 3/4"	2637	140
			11 7/8"	2651	140
15	63002	14" SLIP			4
16	63002-A	SLIP LOAD RING			4
17		INSERT	13 3/8"	2636	140
			13 1/2"	2652	100 + 40B
			13 5/8"	2653	100 + 40B
			13 3/4"	2655	140
			14"	2635	140